



**Material & Finishing**

- 1.Center conductor : Phosphor Bronze,Silver Plating
- 2.Insulators : PTFE
- 3.Body: Brass,Ternary alloy Plating
- 4.Other: Brass, Nickel Plating
- 5.Gasket: Silicone Rubber

**Electrical Data**

- 1.Characteristic Impedance: 50 Ohms
- 2.Frequency: 0~6GHz
- 3.VSWR: 1.1(DC-3GHz)
- 4.Dielectric Resistance: ≥5000MΩ
- 5.PIM3: ≤-160dBc

UNLESS OTHERWISE NOTED  
ALL SURFACES FINISHED TO 6.4/ MAX.

ALL TOLERANCES ARE:

DECIMALS	CHAMFER	ANGLES
6~30± 0.1	0.5~3± 0.5	0~10± 1°
30~120± 0.2	3~6± 0.5	10~50± 30'
	6~30± 1	50~120± 20'

Unit G, Southwark Business Centre  
Ayres Street, London, SE1 1ES, UK  
Tel: (44) 0207 378 1400  
Fax (44) 020 7378 1434  
www.hugheselectronics.co.uk

**Title:** X10(NEX10) FEMALE TO  
4.3-10 MALE ADAPTOR

**Part no:** 01-6E2C11011

**Date:** 2021/12/03 **Issue No.** 1 **Scale:**

**Changes log:**

Drawn: J. S. \_\_\_\_\_  
 Approved: J. W. \_\_\_\_\_  
 Checked: L. V. \_\_\_\_\_  
 QA: G. R. \_\_\_\_\_

**Compliance:**